




THOR LINKS™
PORTABLE TRANSFER CONVEYOR

**MOVE
MOUNTAINS.**



METRIC

THESE DURABLE TRANSFER CONVEYORS ARE THE MOST PRACTICAL SOLUTION FOR ON-SITE MOBILITY.



TECHNICAL SPECIFICATIONS:

MODEL	BELT WIDTH	CAPACITY	A	B	C	D
TC50x36-0500/0800/1000	900mm	450, 725, 900MTPH	15.2m	13.7m	1.2m	2.1m
TC70x36-0500/0800/1000	900mm	450, 725, 900MTPH	21.3m	19.8m	1.5m	2.1m
TC80x36-0500/0800/1000	900mm	450, 725, 900MTPH	24.4m	22.9m	1.8m	2.1m
TC100x36-0500/0800/1000	900mm	450, 725, 900MTPH	30.5m	29.0m	2.1m	2.1m
TC120x36-0500/0800/1000	900mm	450, 725, 900MTPH	36.6m	35.1m	2.4m	2.1m
TC150x36-0500/0800/1000	900mm	450, 725, 900MTPH	45.7m	44.2m	3.4m	2.1m
TC80x42-1200/1500	1050mm	1000 & 1300MTPH	24.4m	22.9m	2.4m	2.1m
TC100x42-1200/1500	1050mm	1000 & 1300MTPH	30.5m	29.0m	2.7m	2.1m
TC120x42-1200/1500	1050mm	1000 & 1300MTPH	36.6m	35.1m	3.0m	2.1m
TC50x48-2000	1200mm	1800MTPH	15.2m	12.8m	2.4m	4.0m
TC80x48-2000	1200mm	1800MTPH	24.4m	21.9m	3.0m	4.0m
TC120x48-2000	1200mm	1800MTPH	36.6m	34.1m	3.7m	4.0m

All sizes and dimensions are approximate and Thor Global reserves the right to make changes to their product at any time without notification.



SAFETY PULL CORD

KEY BENEFITS

- High-end components such as CEMA C idlers and CLASS 2 reducers make these conveyors very durable.
- Basic design makes these the most cost effective alternative to highway portable units.
- Simplified design provides effortless maintenance.

THOR OFFERS A WIDE RANGE OF PORTABLE TRANSFER CONVEYORS TO COST EFFECTIVELY SUIT ANY APPLICATION. All transfer conveyors have a height adjustable range of 8ft at the axle.

STANDARD FEATURES

- Belt scrapers (twin-edge) & tensioning system: **patented**
- Belt splice: vulcanized
- Contactors: IEC
- Gear reducers: CLASS 2
- Idlers: CEMA C
- Safety guarding
- Steel: 60,000 psi
- Training: onsite
- Ultrasonic sensors
- Variable frequency drive

OPTIONAL FEATURES

- Colour: custom
- Contactors & starters: NEMA
- Galvanizing: hot-dip
- Receiving chute: custom

SPECIALTY FEATURES

- Belt alignment sensor
- Belt covers: **patented**
- Belt scrapers: Martin
- High floatation tires
- Safety pull chord
- Zero speed sensor

